McDermott
Will&Emery

Boston Brussels Chicago Düsseldorf London Los Angeles Miami Milan
Munich New York Orange County Rome San Diego Silicon Valley Washington, D.C.

FACSIMILE

Date: October 18, 2004

Time Sent:

To:	Company:	Facsimile No:	Telephone No:
Examiner Greta Robinson Art Unit: 2177	United States Patent and Trademark Office	703-746-5657	

From:	Alex H. Chan	*Direct Phone:*	202.756.8367
E-Mail:	achan@mwe.com		
Sent By:	Jackie Reid-Johnson	*Direct Phone:*	202-756-8668
Client/Matter/Tkpr:	43890-463	*Original to Follow by Mail:*	No
		Number of Pages, Including Cover:	4

Re: Serial No. 09/708,083

Message:

Proposed Amendment   Attorney Docket: 43890-463
Serial No: 09/708,083

IN THE CLAIMS:

1. (Currently amended) A method of retrieving an image from at least one of an information-storage medium and an information network, said method comprising:

a) setting a retrieval request containing a degree of importance for a plurality of keywords by assigning a degree of importance to each keyword ~~assigning a priority to a keyword, said keyword operative as a tag, which is tagged to an image~~;

b) calculating a necessity signal for an image based on the retrieval request and said plurality of keywords, each of said plurality of keywords being tagged to the image ~~a degree of importance for the image based on the priority assigned to the keyword~~; and

c) searching for the image from at least one of an information-storage medium and an information network and displaying the image, based on the necessity signal ~~the degree of importance of the image~~.

4. (Currently amended) An apparatus for retrieving an image from at least one of an information-storage medium and an information network, said apparatus comprising:

a) a menu entry section that allows an user to set a retrieval request containing a degree of importance for a plurality of keywords by assigning a degree of importance to each keyword ~~assign a priority to a keyword, said keyword operative as a tag, which is tagged to an image~~;

b) a retrieval section calculating a necessity signal based on the retrieval request and said plurality of keywords, each of said plurality of keywords being tagged to an image ~~degree of importance for the image based on the priority assigned to the keyword~~ and searching for the image from at least one of an information-storage medium and an information network based on the necessity signal ~~degree of importance of the image~~; and

Proposed Amendment   Attorney Docket: 43890-463
Serial No: 09/708,083

c) a display section displaying the image <u>output</u> ~~outputted~~ from the retrieval section

according to the <u>necessity signal</u> ~~degree of importance~~.

9. (Currently amended) The method for retrieving an image as defined in claim 7,

wherein:

the degree of <u>importance</u> ~~necessity~~ by each class is obtained depending on i) a first value

having a larger value as a number of the tags tagged to the image increase, ii) a second value

having a larger value as a number of the tags tagged to the image decrease, and

contributions of the first value and the second value to the degree of <u>importance</u>

~~necessity~~ by each class are determined by a number of non-zero components of a retrieval

request signal by each class.

10. (Currently amended) The apparatus for retrieving an image as defined in claim 8,

wherein:

the degree of <u>importance</u> ~~necessity~~ by each class is obtained depending on i) a first value

having a larger value as a number of the tags tagged to the image increase, ii) a second value

having a larger value as a number of the tags tagged to the image decrease, and

contributions of the first value and the second value to the degree of <u>importance</u>

~~necessity~~ by each class are determined by a number of non-zero components of a retrieval

request signal by each class.

11. (Currently amended) The method for retrieving an image as defined in claim 9,

wherein:

when the number of the non-zero value is larger than a first predetermined value, the first

value mainly contributes to the degree of <u>importance</u> ~~necessity~~ by each class;

WDC99 992675-1.043890.0463

PAGE 3/4 * RCVD AT 10/18/2004 9:19:41 AM [Eastern Daylight Time] * SVR:USPTO-EFXRF-2/0 * DNIS:7465657 * CSID:2027568087 * DURATION (mm-ss):01-36

when the number of the non-zero value is smaller than the first predetermined value, the

second value mainly contributes to the degree of importance necessity by each class; and

which of the first value and the second value mainly contributes to the degree of

importance necessity by each class changes with rapidity determined by a second predetermined

value in a neighborhood of a point that the number of no-zero components equals the first value.

12. (Currently amended) The apparatus for retrieving an image as defined in claim 10,

wherein:

when the number of the non-zero value is larger than a first predetermined value, the first

value mainly contributes to the degree of importance necessity by each class;

when the number of the non-zero value is smaller than the first predetermined value, the

second value mainly contributes to the degree of importance necessity by each class; and

which of the first value and the second value mainly contributes to the degree of

importance necessity by each class changes with rapidity determined by a second predetermined

value in a neighborhood of a point that the number of no-zero components equals the first value.